



C-series		Prices from (€)
	C-line Analogue RCA What Hi-Fi? award winner 2015/16/17. Oxygen-free copper multi-stranded conductors (signal, return and ARAY). High flexibility, low density conductor insulation. Over-wrapped foil shielding. Over-moulded Chord RCA plugs with direct gold-plated contact areas for enhanced signal transfer. Turntable compatible.	0.5m: 50,00 1m: 60,00 2m: 90,00 3m: 120,00
	C-sub RCA subwoofer Discreet, multi-strand, tinned copper signal conductor, with low resistance to enable longer lengths. Overlapped screen for increased flexibility, reducing signal loss caused by high-frequency interference. Unique gold plating on RCA plug improves signal transfer. Over-moulded plug surround provides a high reliability connection.	3m: 50,00 6m: 85,00 8m: 115,00 10m: 140,00
	C-digital RCA ARAY conductor geometry, oxygen free copper conductors. High density over-wrapped foil shielding. Unique direct gold-plated RCA plug improves signal transfer. Over-moulded plug surround provides high reliability and zero conductor compression.	0.5m: 50,00 1m: 55,00
	C-lite optical From pocket-size portable up to longer lengths for use in home systems. Wide bandwidth PMA optical cable with polished ends to improve bandwidth. Central conductor protected by soft PVC internal jacket, with a hard PVC outer jacket limiting crush damage, yet flexible enough to allow a tight bend radius without affecting the light-carrier. Available: Toslink to Toslink, Toslink to mini-jack (all lengths) and mini-jack to mini-jack (15cm and 30cm only)	15cm: 50,00 30cm: 52,00 1m: 55,00 2m: 60,00 3m: 65,00 5m: 80,00 8m: 100,00 10m: 110,00
	C-USB Heavy gauge, oxygen-free, silver-plated conductors. Low loss, gas-foamed polyethylene insulation. Twisted pair data conductor configuration. Dual layer, high frequency effective shielding. Gold-plated plug and signal pins.	0.75m: 65,00 1.5m: 80,00 3m: 95,00 5m: 120,00
	C-stream For audio streaming systems requiring cables with RJ45 connectors. Oxygen-free copper conductors with low density polyethylene insulation, each conductor pair is separately shielded and an overall high density foil shield is applied prior to a vibration-damping outer jacket	0.75m: 50,00 1.5m: 60,00 3m: 75,00 5m: 85,00 10m: 120,00 15m: 170,00 20m: 225,00
a)	C-view HDMI Ultra-slim HDMI cable with Ethernet. High speed 1080p, 3D-compliant HDMI cable, supports 4K TV and deep colour. Ethernet/audio return, supports all HDMI audio formats. Die-cast gold-plated plug, silver-plated oxygen-free copper signal conductors. Reduced length HDMI plug for easy connection to wall-mounted screens	0.75m: 50,00 1.5m: 60,00 2m: 75,00 3m: 85,00 5m: 120,00 8m: 170,00 10m: 210,00
	C-screen speaker cable A discreet and easy to fit cable, but with the performance benefits of shielding. C-screen is just 7mm in diameter and flexible enough to route around corners with ease. It's finished with a white outer jacket which protects the shielding and makes it virtually invisible against white skirting boards. Available with factory-fitted ChordOhmic silver-plated speaker connectors.	Per m: 7,00 3m pair: 182,00 Termination with spades 184,00 extra
	C-power Shielded to help reduce levels of noise that mask musical detail. Over- moulded plugs include a high-pressure crimping technique on the inner connections - no screws needed. Over-moulding ensures the conductors are held firmly in place and protected from mechanically induced noise.	1.5m: 75,00





Clearway		Prices from (€)
	Clearway Analogue RCA What Hi-Fi? award winner 2017. Hand-built in the UK. ARAY geometry, conductors of heavier gauge oxygen- free copper, FEP insulation. Duallayer, counter-wound, heavy gauge foil shielding. Fitted with Chord Company direct silver-plated VEE 3 RCA plugs. Turntable compatible. Also available fitted with a stereo minijack connector.	0.5m: 120,00 1m: 135,00 Extra m: 50,00 T/table fly lead 1.2m: 165,00
	Clearway Analogue DIN/DIN-RCA Ideal for Naim Audio or older Quad equipment, Clearway analogue cables are built in-house with skill and experience. Like the Clearway RCA pairs, the Clearway DIN cables use the same ARAY conductor configuration.	1m: 165,00 Extra m: 50,00
	Clearway subwoofer RCA The same award-winning Clearway specification and ARAY geometry. Ideal subwoofer cable for mid-range surround/multi-channel systems. Fitted with Chord VEE 3 silver-plated RCA plugs. Custom terminations and lengths available.	3m: 120,00 5m: 160,00 Extra m: 25,00
000	Clearway Analogue XLR Clearway analogue XLR pair is fitted with Neutrik silver-plated plugs and features our unique ARAY conductor configuration. The design benefits from identical conductors for the hot, cold and earth connections.	1m: 200,00 Extra m: 65,00
	Clearway Digital RCA / RCA-Mini-jack / BNC Tuned ARAY conductor configuration. Available with silver-plated VEE 3 RCA plugs, silver-plated BNC connectors and/or mono mini-jacks. A favourite for miniature/portable DACs, DAPs etc.	0.5m RCA/mini-jack: 120,00 1m RCA/mini-jack: 130,00 1m BNC-BNC: 145,00 1m 2BNC-Minijack (M Scaler): 250,00 Extra m: 50,00
	Clearway speaker cable What Hi-Fi? award winner 2015/16/17. 14 AWG multi-strand oxygen-free copper conductors. FEP insulation. Conductors arranged in twisted-pair configuration. Soft PVC internal jacket and twin contra-wound foil shields to protect from high-frequency noise. Available with factory-fitted ChordOhmic silver-plated speaker connectors.	Per m: 15,00 3m pair: 230,00 Termination with spades 184,00 extra





Shawline		Prices from (€)
	Shawline Analogue RCA Unique Tuned ARAY technology. FEP-insulated silver-plated conductors. Multiple shielding material works over a wide bandwidth and reduces mechanical noise. Chord VEE3 RCA plugs, direct silver-plated to improve signal transfer. A great all-rounder, consistently well reviewed by the hi-fi press. 2 RCA to stereo minijack version also available.	0.5m: 235,00 1m: 260,00 Extra m: 100,00 T/table fly lead 1.2m: 300,00
	Shawline Analogue 2RCA-DIN / DIN-DIN / DIN-XLR Well suited to Quad and Naim systems. Same high-performance specification as the RCA version. Optimised to work with all permutations of DIN/RCA/XLR connectors, including Naim NAP250/300/500.	1m: 300,00 Extra m: 105,00 1m 4DIN to XLR pair (NAP300/500): 330,00 Extra m: 130,00 1m DIN (Snake 4 or 5): 330,00 extra m: 130,00
	Shawline Analogue subwoofer Silver-plated conductors, FEP insulation and high-frequency effective, multi-layer shield. Fitted with Chord VEE 3 direct silver-plated RCA plugs. Features Tuned ARAY conductor geometry. Available with RCA or XLR plugs to suit.	3m: 235,00 5m: 325,00 Extra m: 50,00
	Shawline Analogue XLR All Tuned ARAY cables require a high degree of precision, only achieved with painstaking hand assembly. The upside of this process is that it allows us to add the extra conductors needed to build an exceptional XLR cable.	1m : 330,00 Extra m: 130,00
	Shawline Digital RCA / USB / BNC / AES/EBU Hearing what the bass and drums are doing is great, but it's pointless if they're not doing it together. The Shawline Digital brings coherence to the detail. A redesign of Shawline Analogue, but with the same Tuned ARAY conductor configuration. Fitted with silver-plated Chord VEE3 RCA or BNC plugs.	0.5m: 240,00 1m: 260,00 1m BNC-BNC: 275,00 Extra m: 105,00 2BCN-Minijack (M Scaler) 1m: 500,00 extra m:200,00
	Shawline Streaming High-speed, silver-plated copper conductors. Individually shielded twisted conductor pairs with overall shield. FEP insulation. 24ct. gold-plated signal contacts. Over-moulded shielded zinc plug surround. Custom lengths built to order.	0.75m: 260,00 1.5m : 325,00 3m: 390,00 5m: 520,00 Extra m: 50,00
	ShawlineX speaker cable Silver-plated, 16 AWG oxygen-free copper. Similar spec' to the famous Chord Rumour, but enhanced with high- density, dual-layer shielding, LSOH internal jacket and PVC outer jacket to reduce mechanical noise. Available with factory-fitted ChordOhmic silver-plated speaker connectors.	Per m: 40,00 3m pair: 380,00 Termination with spades 184,00 extra
	Shawline Power A high-specification mains cable design that evolved from the previous Power Chord, now featuring an improved, thicker stranded conductor. The shielding also benefits from a redesigned, higher gauge braid wire. Also available in custom lengths, 10 or16 amp IEC and can be supplied with European (Schuko), USA or Australian mains plugs.	1m: 250,00 1.5m: 275,00 2m: 300,00 Extra m: 65,00





Epic	Prices from (€)
Epic Analogue RCA Tuned ARAY conductor geometry. Similar to Shawline but with heavier gauge silver-plated, multi-strand, oxygen-free copper conductors and FEP insulation. Detailed performance, but conveys the extra information with	0.5m: 470,00 1m: 525,00 Extra m: 210,00 T/table flylead 1.2m: 575,00
Epic Analogue 2RCA-DIN/DIN-DIN/DIN-XLR (for Naim NAP250/300/500) Low noise high bandwidth shielding ensures that the listener obtains the maximum benefit from the latest DR upgrades that have been so successfully introduced into Naim Audio products. The new design, shielding and Tuned ARAY geometry of Chord Epic DIN delivers the rhythm, groove and soul of the music.Genuinely musical and involving sound.	DIN-DIN / DIN-2RCA / DIN-XLR SNAKE 4/5 1m: 600,00 Extra m: 180,00 4DIN-XLR pr. 1m: 780,00 Extra m: 360,00
Epic Analogue Subwoofer High-quality subwoofer cable. Available in 3m and custom lengths/ terminations to order. Designed to complement the Epic range and enhance any high-spec music/TV/movie/game/multi-channel system.	3m: 475,00 5m: 675,00 Extra m: 105,00
Epic Analogue XLR pair Hand-built with the same internal conductors as Epic RCA. Design adapted to include an extra conductor to produce the optimum (neutral, transparent) performance for XLR-fitted equipment.	1m: 595,00 Extra m: 260,00
Epic Digital RCA / BNC Silver-plated, Tuned ARAY conductors and dual foil screen. Listen for better stated rhythm and the critical micro details that mean so much to music. Also available fitted with BNC connectors.	1m: 530,00 1m BNC-BNC: 540,00 Extra m: 210,00
Epic USB Hand-built USB cable, designed to bridge the gap between the Shawline and Signature ranges. Benefits from the unique Chord Co Tuned ARAY conductor technology and enhanced screening/shielding materials that help to reduce interference.	1m: 530,00 Extra m: 210,00
Epic Streaming Developed for and tested with digital audio streamers. High-quality silver- plated conductors, high-speed insulation materials, high-density separate pair /overall shielding. Tuned ARAY conductor geometry. Precision RJ45 connectors, modified to allow direct soldering of conductors to contact pins.	1m: 595,00 Extra m: 65.00
Epic X speaker cable Based on the multi-award-winning Chord Odyssey speaker cable. 12 AWG oxygen-free copper negative and positive conductors, silver-plated and insulated with XLPE. High-frequency combination shield of overlapped high-density foil and tight-weave metal braid. Outer PVC jacket provides mechanical damping. Available with factory-fitted ChordOhmic silver-plated speaker connectors.	Per m: 75,00 3m pair: 590,00 Termination with spades 184,00 extra
Epic XL speaker cable Similar spec to Epic, but further enhanced with separately shielded positive and negative conductors. Optimum twist applied before secure clamping. Built to order in terminated sets. Available with factory-fitted ChordOhmic silver- plated speaker connectors.	1.5m pair: 750,00 3m pair: 1500,00 5m pair: 2500,00 Extra mono m: 250,00





Signature		Prices from (€)
-11 -11 -11 -11 -11 -11 -11 -11 -11 -11	Signature Analogue RCA (incl. tonearm cables) Hi-Fi World award winner 2014. Separately shielded silver-plated conductors. Tuned ARAY conductor geometry. PTFE insulation. Dual-layer foil and high-density braid. Shielding effective to very high frequencies. FEP conductor outer jackets. High-performance Chord PTFE plug surrounds. Tonearm version from 1.2m, fitted with straight or right-angle connectors.	1m: 1050,00 Extra m: 680,00 Tone arm to RCA 1.2m: 1050,00
	Signature Analogue 2RCA-DIN / DIN-DIN / DIN-XLR Brings major improvements to Naim DIN-connected systems. Also available in various DIN to XLR configurations to suit Naim NAP250/300/500 combinations.	1m: 1050,00 Extra m: 680,00 1m 4DIN to XLR pair (NAP300/500): 1125,00 Extra m: 720,00 1m DIN (Snake 4 or 5): 1125,00 extra m: 720,00
-11	Signature Analogue Subwoofer Dedicated Signature subwoofer cable, designed for mid-to high-end surround/multi-channel systems. Available to order in custom lengths and a variety of terminations.	3m: 1150,00 5m: 1800,00 Extra m: 325,00
	Signature Analogue XLR Two signal wires carry the hot (in phase) and cold (out of phase) signals, with a third identical conductor to carry the earth/return signal. This takes the shield out of the circuit, reducing unwanted interference.	1m: 1300,00 Extra m: 850,00
	Signature Digital RCA / BNC / XLR / AES/EBU Super ARAY conductor geometry. Fitted with PTFE RCA plug surrounds and/or high-quality silver-plated 75-ohm BNC plugs. AES/EBU version also available.	1m: 990,00 Extra m: 685,00
1.12	Signature USB Four separately shielded, silver-plated bi-conductors, insulated with PE/LDPE/PE TRI. Fitted with dual layer high-frequency effective shielding and Super ARAY conductor geometry. The 5V cables are silver-plated copper with tri-layer PE/LDPE/PE insulation and foil shield. All connections are soldered. USB plugs are silver-plated to our specification in the UK.	1m: 990,00 Extra m: 250,00
	Signature Streaming Precision RJ45 connectors (gold-plated contacts and soldered conductors) are used, along with the unique hard skin insulation. Heavy-gauge silver-plated conductors and an effective shielding system. Super ARAY conductor geometry - developed specifically for streaming cables.	1m: 1000,00 Extra m: 130,00
	Signature XL speaker cable The latest version of what was our first shielded speaker cable. An instant success when launched and still a hi-fi press champion. Individually shielded, silver-plated high-purity oxygen-free copper conductors, XLPE insulation, twisted and clamped. Built to order in terminated sets. Standard colours are red and black or all-black. Built with factory-fitted ChordOhmic silver-plated bananas	1.5m pair 1125,00 3m pair 2250,00 5m pair 3750,00 Extra mono m 375,00
	Signature speaker links Designed to replace the pressed-metal versions used to bridge inputs on bi-wireable speakers. Easy to fit and can bring startling improvements to sound quality. Design is based closely on Chord Signature speaker cable but will work with any speaker cable. Available with factory-fitted ChordOhmic silver-plated speaker connectors.	4x spade to 4mm: 190,00 4x spade to spade: 250,00
	Signature ARAY power cable Mains plug features heavily silver-plated contacts and silicone damping to minimise vibration between the top and bottom section of the assembly. More silver-plating on the IEC. High-density braid. ARAY conductor configuration. 95% coverage, dual-layer shield. Also available in custom lengths, 10 or16 amp IEC and can be supplied with European (Schuko), USA or Australian mains plugs.	1m: 725,00 Extra m: 130,00





Sarum T		Prices from (€)
	Sarum T Analogue RCA Common to the entire Sarum T portfolio, the unique Chord Company Taylon® insulation brings the proven advantages of phase stability to a far more affordable price point. Unique Super ARAY conductor geometry and high-performance Chord Company PTFE plug surrounds ensure Sarum T comes a close second to the flagship ChordMusic. Also available as a tonearm version (from 1.2m)	RCA 1m: 2650,00 Extra m: 1250,00 Tonearm 1.2m: 2500,00 Extra m: 950,00
	Sarum T Analogue 2RCA-DIN / DIN-DIN / DIN-XLR (for Naim NAP250/300/500) The benefits of the Chord Company Taylon®-insulated analogue interconnects optimised for a wide variety of partnering equipment, including Naim Audio and Quad. The flexible range of connectivity options helps enable all electronics to be connected with Sarum T consistently, however they are configured. Includes Naim's SNAIC configuration, too.	1m: 2500,00 Extra m: 950,00 1m 4DIN to XLR pair (NAP300/500): 2775,00 Extra m: 1250,00 1mDIN(Snake4or5):2775,00 extra m: 1250,00
diameter of the second	Sarum T Analogue XLR Hand-made construction, like its range stablemates, the Sarum T design and its myriad benefits make for an exceptional XLR cable. The hand-building process allows the factory technicians to carefully adapt the conductor layout for the XLR configuration. High-performance plugs offer a reassuringly secure connection to a standout balanced cable.	1m: 3800,00 Extra m: 1650,00
All and a second	Sarum T Digital - RCA / BNC / XLR (AES/EBU) The proprietary Chord Company Taylon® insulation and Super ARAY conductor technology is as relevant in digital cables as it is analogue – possibly more so, given the growing amount of digital sources. Trust Sarum T Digital with signal-carrying duties for complete assurance of unadulterated transfer to and from digital devices without phase issues compromising sound quality.	1m: 2650,00 Extra m: 1200,00
	Sarum T USB USB cables built with Sarum T technologies deliver digital music at the highest level, surpassed only by the flagship ChordMusic USB. Silver-plated USB plugs built to Chord Company's specification ensure perfect synergy with the hand-made interconnect, featureing four separately shielded silver-plated conductors, protected with our advanced Taylon® insulation for unrivalled phase stability.	1m: 1900,00 Extra m: 750,00
, incident	Sarum T Streaming Protecting digital source signals is vitally important and Sarum T Streaming brings the advanced phase stability of our unique Taylon® insulation to streaming devices everywhere. Precision-made RJ45 connectors with gold-plated and soldered conductors, plus streaming-specific Super ARAY conductor geometry to ensure the benefits of this unique technology.	1m: 2650,00 Extra m: 1200,00
	Sarum T speaker cable The original Sarum speaker cable was designed to neither add nor subtract from the signal, and Sarum T speaker progresses the original brief, adding new materials and techniques to advance its capabilities. Chord Ohmic silver-plated loudspeaker plugs, a dedicated clamp, silver-plated ribbon braid and a heavy foil shielding – all part of our ongoing obsession with the best possible sound.	1.5m pair 2250,00 3m pair 4500,00 5m pair 7500,00 Extra mono m 750,00
300	Sarum T speaker links High-performance bi-wire speaker links to optimise performance where bi-wire speaker block terminals are used. Fitted with the next-generation, high-performance ChordOhmic banana plugs and spade connectors, the Sarum T speaker links ensure every drop of performance is extracted from both the speakers and the connecting cable.	Per set of 4: 500,00
Carried Control	Sarum T power cable The perfect complement to Sarum T signal-carrying products, the power cable provides a super-high-quality build, with uncompromising materials and shielding to minimise the noise floor. All the internal elements use Taylon® to their best advantage, supplying expensive electronics with essential power. Also available in custom lengths, 10 or 16 amp IEC and with European or USA mains plugs.	1m: 2350,00 Extra m: 1250,00





ChordMusic		Prices from (€)
	ChordMusic Analogue RCA (various 1.2m tonearm options also available) The most advanced Chord Company analogue interconnect in the company's history; the flagship analogue product for uncompromising signal transfer. Proprietary Taylon® phase-stable insulation, a specifically customised version of our unique Super ARAY conductor, plus the finest materials and craftmanship available. Each cable is built by hand to order.	1m: 4600,00 Extra m: 2000,00
	ChordMusic Analogue 2RCA-DIN/DIN-DIN/DIN-XLR (for Naim NAP250/300/500) With a variety of termination options available for the flagship analogue cable, all manner of high-performance systems and equipment can benefit from the very best Chord Co. cabling. These cables are designed to carry signals as accurately as possible, whatever the termination. Naim Audio SNAIC and DIN terminations are available, for a wide range of specialist equipment.	1m: 4200,00 Extra m: 1700,00 1m 4DIN to XLR pair (NAP300/500): 4600,00 Extra m: 2000,00 1mDIN(Snake4or5):4600,00 extra m: 2000,00
	ChordMusic Analogue 2XLR - 2XLR With much high-end audio equipment also offering balanced connectivity options, ChordMusic XLR is an obvious choice. Hand-built to order, allowing the XLR wiring configuration to be carefully implemented, the balanced cable is the finest example of its kind in the portfolio. Taylon® phase-stable insulation perfectly complements the unique Super ARAY conductor technology.	1m: 6600,00 Extra m: 3000,00
A MA	ChordMusic Digital RCA / BNC / XLR (AES/EBU)/USB The finest coaxial digital cable in the portfolio, ChordMusic Digital delivers the finery of binary in its full undiluted glory. A digital cable that neither adds or extracts to the signal, it's a digital cable that carries music with a degree of accuracy that makes it as thrilling and profound as the analogue cables. Electrical digital never sounded so good.	1m: 4200,00 Extra m: 2000,00 1m AESEBU: 4600,00 Extra m: 2000,00
	ChordMusic Digital Streaming ChordMusic Streaming cable delivers the very best performance to and from streaming-enabled hardware, where the preservation of the original file is of utmost importance. ChordMusic's various technologies align for high-end audio streaming, bringing the benefits of the flagship Taylon® insulation and the Super ARAY conductor configuration.	1m: 4600,00 Extra m: 2000,00
	ChordMusic speaker cable High-end loudspeakers are a significant audio investment and feeding them with the best quality signal from the amplifier is critical for performance. The introduction of the phase-stable Taylon® insulation produces the most natural and uncoloured speaker cable possible. ChordMusic features Tuned ARAY conductor geometry, with obvious clarity and transparency benefits.	1.5m pair: 4050,00 3m pair: 8100,00 5m pair: 13750,00 Extra mono m: 1350,00
	ChordMusic speaker links With most high-end speakers worthy of ChordMusic speaker cable having multiple drivers and bi- or even tri-wiring options, ChordMusic bi-wire speaker links provide a suitably high-end solution to the basic pins provided with the speaker terminal blocks. Designed to complement the speaker cables, the bi-wire links help deliver the full performance capability of the cable engineering.	Per set of 4: 1100,00
	ChordMusic power cable - UK/European/USA/Aus mains plugs, 10 or16 amp IEC The flagship power cable, ChordMusic Power contains all of Chord Company's 'mains' cable know-how, gained over 35 years of UK cable manufacturing. A hybrid design using differing internal cables, shielding and ARAY configurations. All the internal elements use Taylon® and this insulation, combined with the optimum shielding design, redefines the musical performance.	1m: 6000,0 Extra m: 2400,00





Legacy / AV speaker cal	ble	Prices from (€)
	LeylineX LS0H speaker cable Cost-effective, high-performance, easy to fit, multi-room speaker cable, now featuring improved XLPE dielectric. LeylineX is perfect for rear and surround speakers in home cinema set-ups and audio systems needing long runs.	P.O.A.
	Sarsen speaker cable Near-invisible speaker cable that won't spoil the sound of a decent hi-fi system. Flexible enough to fit between carpet and skirting board. Perfect for music lovers who think speaker cable should be heard and not seen.	Per m: 11,00 3m pair: 206,00 Termination with spades 184,00 extra
	RumourX speaker cable 6mm diameter, neutral and natural speaker cable. Part of our speaker cable range for 20+ years. Good enough to find its way into everything from lifestyle to seriously high-end audio systems.	Per m: 22,00 3m pair: 272,00 Termination with spades 184,00 extra
	OdysseyX speaker cable A heavier gauge version of Chord Rumour. Higher performance that brings control to pretty much any pair of speakers	Per m: 37,50 3m pair: 356,00 Termination with spades 184,00 extra
	ChordOhmic 4mm plug termination kit Sometimes it's not possible to use a pre-terminated speaker cable. Next best option is a set of our unique design 4mm banana plugs. High performance silver-plated copper. Spade plugs also available.	4mm each: 12,00 4mm set of 4: 48,00 4mm set of 8: 96,00 Spades each: 35,00

Silent mounts (loudspea	ker/equipment isolation mounts)	Prices from (€)
Single SM. 5	Silent Mount (stainless steel) 4 x stainless steel spike mounts for racks or loudspeakers. Hand-crafted in Japan. Available in 50mm and 70mm diameter (for loudspeakers etc).	4 × 50mm dia: 430,00 4 × 70mm dia: 500,00
The state of the s	Silent Mount (titanium) 4 x titanium spike mounts for racks and components. Hand-crafted in Japan. 50mm diameter.	4 × 50mm dia: 675,00

Cream Instrument cable		Prices from (€)
	Cream instrument cable A well designed, hand-built cable while most other instrument cables are cost-orientated. If you want to hear more of what you're playing, Cream is the cable to use. Available with straight or right-angle jacks in 3m, 6m or custom lengths. Patch leads and high quality mic leads also available.	3m: 70,00 6m: 82,00 Patch lead: 58,00 Extra m: 9,00
9	Epic head-to-stack cable The finest way of connecting your guitar amp to the speaker cabinet. Do not use instrument cable as it will sound poor and possibly damage your equpment. Available+H23:H30 with jack, XLR and Speakon connectors	1m: 87,50